POPULATION ESTIMATES CENSUS DATA		LOCAL PUBLIC HEALTH				
			1			
	'		Per			
Total 1995 Population Est 20, 290		<u> Activities Reported Number</u>	10, 000			
Percent Female 51.2	Note: Data in this section are from					
	the 1990 Census. (All other	Public Health Nursing	·			
Population per square mile 23	sections contain 1995 data	Total clients 436	215			
Rank in state 57	except where specified.)	Total visits .	•			
(1=highest population density,		Visits: Reason for				
72=lowest population density.)	Ratio of 1989 Family	Gen hlth promotion .	•			
	Income to Poverty	Infant/child hlth .	•			
	(Cumul ative)	Infectious & parasitic .				
<u>Age Female Male Total</u>		Ci rcul atory .	.			
0-14 1, 980 2, 130 4, 110	Age <100% <185% <200% Total <5 23 55 60 1,286	Prenatal .				
15- 19 760 820 1, 577		Postpartum .	.			
20- 24 540 570 1, 110	5-17 22 47 51 3,821					
25-29 480 440 920	18-44 13 35 39 6,730	WIC Participants 944	465			
30-34 710 690 1,400	45-64 9 26 29 3,884					
35-39 780 790 1,570	65+ 13 48 53 3,513	Clinic Visits 6,003	2, 955			
40-44 700 760 1,460		Immunization 3,603 1	1, 774			
45-54 1, 180 1, 150 2, 330		Blood pressure 1, 279	630			
55-64 1,020 980 2,000		T				
65-74 1,090 910 2,000	CANGED INCIDENCE	Environmental Contacts	0			
75-84 830 530 1, 360	CANCERINCIDENCE	Env hazards 6	3			
<u>85+ 320 130 450</u>	(1995)	Public health nuisance 23	11			
Total 10, 390 9, 900 20, 290	Normhan	Cabaal Haalah	ı			
	Primary site Number Colon 9	School Health	1 000			
Age Female Mole Tetal		Vision screenings 2,483 Hearing screenings 884	435			
Age Female Male Total 0-17 2,440 2,620 5,060	Lung	Hearing screenings 884	433			
18-44 3, 510 3, 580 7, 090	Prostate 18	Health Education	l			
45-64 2, 200 2, 130 4, 330	All others 56	Community sessions 29	1.4			
65+ 2, 240 1, 570 3, 810	Total 114	Community sessions 29 Community attendance 507	14 250			
Total 10, 390 9, 900 20, 290	Total T14	School sessions 48	24			
10tai 10, 330 3, 300 20, 230		School attendance 2, 144				
		School accendance 2, 144	1, 033			
E M P L O Y M E N T	LONG TERM CARE	Staffing - FTEs	ı			
		Total staff 6	2. 8			
Note: Average wage is based on place		Admi ni strators 1	0.5			
of work, not place of residence.	Home Health Agencies 1	Public health nurses 3	1.3			
or norm, not prace of residence.	Patients 381	Public health nurses 3 Public health aides <1	0.1			
Average wage for jobs covered	Patients per 10,000 pop 188	Environmental specialists .	.			
Average wage for jobs covered by Unemployment Compensation \$19,303		,	· 'I'			
	Nursing Homes 1		'1			
Labor Force Estimates Annual Average	licansed hads 173	LOCAL PUBLIC HEALTH FUNDING	.G '			
Civilian labor force 9,585	Occupancy rate (percent) 98.2% Resi dents on 12/31/95 168 Resi dents per 1,000		Per			
Number employed 9,001	Occupancy rate (percent) 98.2% Residents on 12/31/95 168	Amount	~ .			
Number unemployed 584	Residents per 1,000	Total funding \$248,075 \$1	12.21			
Unemployment rate 6.1%	population aged 65 or older 43	Amount Company Compa	\$7. 13			
		, and the second se	[
· 			'			

----- N A T A L I T Y ------

TOTAL LIVE BIRTHS		228	<u>Birth Order</u>	Bi rths	Percent	Marital Status	D	
			First	74	32	<u>of Mother</u>	<u>Births</u>	<u>Percent</u>
Crude Live Birth Rate		11. 2	Second	81	36	Marri ed	169	74
General Fertility Rat	te	57. 4	Thi rd	46	20	Not married	59	26
Tr lit.al			Fourth or higher	27	12	Unknown	0	•
Live births with repo	ortea	1 0/	Unknown	0	•	Education		
congenital anomalies		1 . %	Einat December			Education	D: n+1-	Donossa
Dolivany Trans	D;	Donoont	First Prenatal	Dintha	Doncont	of Mother Elementary or less	Births 0	Percent
<u>Delivery Type</u> Vaginal afte r	BITTNS	Percent	<u>Visit</u> 1st trimester	Births 199	Percent 87	Some high school	38	17
	4		2nd trimester	199 25	87 11	High school	38 109	48
previous cesarean Forceps	14	•	3rd trimester	25 3		Some college	109 44	48 19
Othor vaginal	14 169	74	No visits	1	•	College graduate	37	19 16
Other vaginal	24	74 11	Unknown	0	•	Unknown	37 0	10
Primary cesarean Repeat cesarean	17	11	UIIKIIOWII	U	•	UIIKIIOWII	U	•
0ther or unknown	0	•	Number of Prenatal			Smoking Status		
other or unknown	U	•			Doncont	Smoking Status	Dintha	Doncont
Dinth Waiaht	D; == h =	Doncont	Care visits	Births	Percent	<u>of Mother</u> Smoker	Births	Percent 26
Birth Weight	Births 1	Percent	No visits	1 4	•	SIIIOKET Nonamakan	59 169	26
<1, 500 gm		•	1-4 visits			Nonsmoker		74
1, 500-2, 499 gm	9	95. 6	5-9 visits 10-12 visits	50	22 39	Unknown	0	•
2, 500+ gm	218		10-12 VISIUS	89	39 36			
Unknown	0	•	13+ visits	83				
			Unknown	1	•			
	m . 3 .	a 1	Low Birth Weight	4		ter of First Prenatal	Visit	. 1
D	Total I	Births	(under 2,500 gm)		mester	2nd Trimester	Other/U	
Race of Mother	Births 1	Percent	(under 2,500 gm) Births Percent	Bi rths	mester Percent	2nd Trimester Births Percent	Other/l Births	Jnknown Percent
Whi te	Births 1 221	Percent 97	(under 2,500 gm)		mester	2nd Trimester	Other/U	
Whi te Bl ack	Births 1 221 0	Percent	(under 2,500 gm) Births Percent 8 .	Births 192	mester Percent	2nd Trimester Births Percent	Other/l Births	
Whi te Bl ack Other	Births 1 221 0 7	Percent 97	(under 2,500 gm) Births Percent	Bi rths	mester Percent	2nd Trimester Births Percent 25 11	Other/l Births	
Whi te Bl ack	Births 1 221 0	Percent 97	(under 2,500 gm) Births Percent 8 .	Births 192	mester Percent	2nd Trimester Births Percent 25 11	Other/l Births	
Whi te Bl ack Other	Births 1 221 0 7	Percent 97	(under 2, 500 gm) <u>Births Percent</u> 8	Births 192	mester Percent 87 .	2nd Trimester Births Percent 25 11	Other/I Births 4	
Whi te Bl ack Other	Births 1 221 0 7 0	<u>Percent</u> 97	(under 2,500 gm) Births Percent 8 2 Low Birth Weight	Births 192	mester Percent 87 Trimest	2nd Trimester Births Percent 25 11	Other/VBirths 4 Visit	Percent
Whi te Bl ack Other Unknown	Births 1 221 0 7 0	Percent 97	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm)	Bi rths 192	mester Percent 87	2nd Trimester Births Percent 25 11	Other/Visit Other/Visit	Percent Unknown
White Black Other Unknown Age of Mother	Births 1 221 0 7 0 Fe Births	Percent 97	(under 2,500 gm) Births Percent 8 2 Low Birth Weight	Bi rths 192	mester Percent 87 Trimest	2nd Trimester Births Percent 25 11	Other/Visit Other/Visit	Percent
White Black Other Unknown Age of Mother <15	Births 1 221 0 7 0 Fe Births 0	Percent 97 ertility Rate	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm) Births Percent .	Births 192	mester Percent 87	2nd Trimester Births Percent 25 11	Other/Visit Other/Visit	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17	Births 1 221 0 7 0 Fe Births 0 16	Percent 97 ertility Rate	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm) Births Percent 4 .	Births 192 . 7 	mester Percent 87	2nd Trimester Births Percent 25 11 ter of First Prenatal 2nd Trimester Births Percent 6	Other/Visit Other/Visit	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19	Births 221	Percent 97 ertility Rate	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm) Births Percent 4 1	Births 192 . 7 1st Tri Births . 10 14	mester Percent 87	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24	Births 221	Percent 97 ertility Rate 91	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm) Births Percent 4 .	Births 192 . 7 1st Tri Births . 10 14 43	Trimester Percent Trimest imester Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29	Births 221	Percent 97 ertility Rate 91 144	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm) Births Percent 4 1	Births 192 . 7 1st Tri Births . 10 14 43 59	Trimester Percent Trimest imester Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	Births 1 221 0 7 0 Fe Births 0 16 15 49 69 49	Percent 97 ertility Rate	(under 2, 500 gm) Births Percent 8 2 . Low Birth Weight (under 2, 500 gm) Births Percent 4 1 3 1 . .	Births 192 . 7 1st Tri Births . 10 14 43 59 48	Trimester Percent Trimest imester Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births 221	Percent 97 ertility Rate 91 144	(under 2,500 gm) Births Percent 8 2 Low Birth Weight (under 2,500 gm) Births Percent 4 1	Births 192 . 7 1st Tri Births . 10 14 43 59 48 22	Trimest restance Percent Trimest restance Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births 221	Percent 97 ertility Rate	(under 2, 500 gm) Births Percent 8 2 . Low Birth Weight (under 2, 500 gm) Births Percent 4 1 3 1 . .	Births 192 . 7 1st Tri Births . 10 14 43 59 48	Trimester Percent Trimest imester Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	Births 221	Percent 97 ertility Rate	(under 2, 500 gm) Births Percent 8 2 . Low Birth Weight (under 2, 500 gm) Births Percent 4 1 3 1 . .	Births 192 . 7 1st Tri Births . 10 14 43 59 48 22	Trimest restance Percent Trimest restance Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	Births 221	Percent 97 ertility Rate	(under 2, 500 gm) Births Percent 8 2 . Low Birth Weight (under 2, 500 gm) Births Percent 4 1 3 1 . .	Births 192 . 7 1st Tri Births . 10 14 43 59 48 22	Trimest restance Percent Trimest restance Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown
White Black Other Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+ Unknown	Births 221	Percent 97 ertility Rate 91 144 69 34	(under 2, 500 gm) Births Percent 8 2 . Low Birth Weight (under 2, 500 gm) Births Percent 4 1 3 1 . .	Births 192 . 7 1st Tri Births . 10 14 43 59 48 22	Trimest restance Percent Trimest restance Percent	2nd Trimester Births Percent 25 11	Other/UBirths 4 Visit Other/UBirths	Percent Unknown

1995 PROFILE FOR LANGLADE COUNTY Third of four pages **PAGE 155** ----- MORBIDITY ------ MORTALITY -----Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus REPORTED CASES OF SELECTED DISEASES fetal deaths. Infant Mortality Deaths Rate Total Infant Neonatal Post-neonatal Unknown Infant On female breast cancer based On female population. ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH * Includes HBV carriers ** Includes HCV screens Sexually Transmitted Disease Race of Mother Al cohol 2 . White 1 Other Drugs 4 . Black . Both Mentioned . . Other Unknown

Chlamydia Trachomatis	22
Genital Herpes	10
Gonorrhea	<5
Nongonococcal Cervicitis	0
Nongonococcal Urethritis	0
Syphilis	0

----- I M M U N I Z A T I O N S ------

Children in Grades K-12 by Compliance Level

Compl i ant	4, 121
Non-compliant	43
Percent Compliant	99. 0

Perinatal Mortality	Deaths	Rate
Total Perinatal	2	
Neonatal	1	
Fetal	1	

Al cohol	2
Other Drugs	4
Both Mentioned	•

Type of Motor	Persons	Persons
<u>Věhicle Crash</u>	I nj ured	<u>Killed</u>
Total Crashes	192	6
Al cohol - Rel ated	32	3
With Citation:		
For OWI	13	0
For Speeding	3	0
Motorcyclist	4	0
Bi cycl i st	8	0
Pedestri an	4	0

DI SEASE / AGE GROUP No	umber	Per 1, 000 Pop	Average Stay (Days)	Average Charge	Charge Per <u>Capi ta</u>	DI SEASE / AGE GROUP	Number	Per 1, 000 <u>Pop</u>	Average Stay (Days)	Average Charge	Charg Per Capi ta
Injury-Related: Al	1					Al cohol - Rel at ed					
Total	223	11.0	5. 1	\$7, 459	\$82	Total	73	3. 6	9. 4	\$5, 417	\$19
<18	15	11.0	J. 1	\$7,433	Ψ0 2	18-44	38	5. 4	9. 6	\$5, 869	\$31
18-44	47	6.6	3.0	\$6, 511	\$ 43	45-64	22	5. 1	8. 9	\$5, 089	\$26
45-64	47	10.8	3. 5	\$6, 642	\$72	45-04	22	J. 1	0. 3	45, 005	ŲŽŪ
65+	114	29. 9	6.8	\$8, 572	\$256	Pneumonia and In	nfluenza				
Injury: Hip Frac		20.0	0. 0	ψ0, 37 2	ψ 230	Total	105	5. 2	6. 1	\$6, 528	\$34
Total	31	1. 5	7. 7	\$9, 502	\$15	<18	21	4. 2	3. 8	\$3, 823	\$16
65+	27	7. 1	7. 9	\$9, 537	\$68	45-64	16	7. ≈	5. 0	ψ 5 , 0 25	010
Injury: Poisonia		7.1	7. 5	ψ 0 , 337	ψ O O	65+	55	14. 4	7 . 4	\$7, 4 4 0	\$107
Total	183 8					03 +	33	17. 7	7. 4	ψ7, 110	0107
18- 44	4	•	•	•	•	Cerebrovascul ar	Di sassa				
10-44	7	•	•	•	•	Total	99	4. 9	5. 7	\$7, 119	\$35
Psychi atri c						45-64	10	4. 0	J. 1	07, 110	Ų 3 3
Total	120	5. 9	8. 5	\$4, 788	\$28	65+	89	23. 3	5. 9	\$6, 996	\$163
<18	19	3. 3	0. 5	94, 700	ŲΣO	05+	03	۵۵. ن	5. 5	90, 330	\$105
18- 44	50	7. 0	7. 6	\$4, 428	\$31	Chronic Obstruct	tivo Duli	monory I)i sooso		
45- 64	30 32	7. 0 7. 4	7. 6	\$4, 426 \$4, 534	\$33	Total	56	2.8	4. 7	\$5,000	\$14
65+	32 19			34, JJ4		<18	5			33, 000	314
03+	19	•	•	•	•	18-44	2	•	•	•	•
Coronary Heart Dis	20000					16-44 45-64	12	•	•	•	•
Total	192	9. 5	4. 2	\$10, 949	\$103	45-04 65+	37	9.7	4. 7	\$4, 670	\$ 4 5
45-64	62	9. 3 14. 3	3.6	\$10, 949 \$11, 539	\$165	05+	37	9. 7	4. /	34, 070	343
45-04 65+	02 117	30. 7		\$11, 339 \$10, 999	\$337	Drug-Related					
03+	117	30. 7	4. 0	310, 999	333 <i>1</i>	Total	18				
Malignant Neoplası	na (Co	noona).	A11			10tal 18-44	13	•	•	•	•
marrgnant neoprasi Total	113	5. 6	7. 9	\$11, 645	\$65	10-44	13	•	•	•	•
	_		7. 9	311, 045	303	Total Hagnitalia	-at: ana				
18- 44 45- 64	5	7 1	0 1	\$13, 880	0109	Total Hospitalia	2 700	100 0	4 0	¢e 22e	0049
45- 64 65+	32 74	7. 4 19. 4	9. 1	\$13, 880 \$10, 583	\$102 \$205	Total <18	2, 708 451	133. 3 89. 2	4. 8 3. 3	\$6, 326 \$3, 360	\$843 \$300
		19.4	7.0	\$10, 383			589	82. 9	ა. ა 3. 8		
Neoplasms: Femal		ast (ra	tes for	remare po	ppuration)	18- 44 45- 64				\$4,657	\$386 \$895
Total	9		•	•	•	45-64 65+	515	118. 5 302. 3	4. 9	\$7, 549	
Neoplasms: Colo- Total		ı				69+	1, 153	302. S	5.8	\$7, 793	\$2, 356
	16	•	•	•	•		D T T T	0001	т . т .	7 1 7 1	ONC
65+	14	•	•	•	•	PREVENTAI		21. 1			U N 3
Neoplasms: Lung	10					Total <18	428	21. 1 13. 9	5.4	\$5, 301	\$112 \$28
Total	10	•	•	•	•	18-44	70	13. 9 5. 4	2.6	\$2,054	328 001
D: abataa							38		4. 7	\$5, 773	\$31
Di abetes	00	1 4	7 0	00 701	010	45-64	73	16.8	5. 1	\$6,041	\$101
Total	28	1.4	7. 3	\$9, 721	\$13	65+	247	64.8	6. 3	\$5, 930	\$384
65+	12	•	•	•	•	* Hospitalization effective ambular hospitalization.	ns for co	onditior e can re	ns where educe the	timely an e likeliho	nd ood of